


specification sheet

AVRO



Technical information

- Manual system for all types of light curtain
- Suitable for decorating different-shaped windows
- Various types of slides can be used with this profile
- Maximum recommended curtain weight: 3 kg per meter
- Colours available: white and anodised aluminium
- Special colours available on request
- Available length: 6 meters
- Track finish: covered with an epoxy-polyester powder enriched with additives to enhance the glide performance of the accessories
- On request, this profile can be covered with an epoxy-polyester powder enriched with anti-microbial additives that meet the standards imposed by hospitals, clinics and healthcare establishments.



Technical characteristics

Weight: 90 grams per meter


Extruded aluminium 6063 T5 (AlMgSi 0.5)

Use

The profile is recommended for use within the framework of projects such as: hotels, offices, schools, community buildings, care homes.

Shaping for special windows

- This profile can be bent and folded to suit specific window shapes
- Our technical department is available to advise you on any special jobs.
Contact: 00 32 2 370 59 59 or
info@royproducts.be



Fitting information

- Recommended fixing points:



The dimensions shown are for information only. The distances between the brackets are variable and depend on the weight and the fullness of the curtain to be hung.

- Mounting options



- Ceiling mount with the following bracket: 4025



Additional accessories

- Slide (ref. 5021, 5023)



- End stop (ref. 4006, 4010, 5024)





Roy Products

s.a. Ateliers G. VANROY Werkhuizen n.v.

Av. de la Verrerie 17-23 Glasblazerijlaan • Bruxelles 1190 Brussel - Belgium

Tel: +32 2 370 59 59 - Fax: +32 2 332 27 73

info @royproducts.be • www.royproducts.be

Roy
PRODUCTS