


specification sheet

AVR21



Technical information

- Manual system for all types of heavy, sheer or light curtain
- Various types of slides can be used with this profile
- For heavier curtains, bow rollers are recommended
- Maximum recommended curtain weight: 4 kg per meter
- Colours available: white and anodised aluminium
- Special colours available on request
- Available length: 6 meters
- Track finish: covered with an epoxy-polyester powder enriched with additives to enhance the glide performance of the accessories
- On request, this profile can be covered with an epoxy-polyester powder enriched with anti-microbial additives that meet the standards imposed by hospitals, clinics and healthcare establishments.

Technical characteristics


Weight: 295 grams per meter

Extruded aluminium 6063 T5 (AlMgSi 0.5)

Dimensions: 14 mm x 36 mm

Use

The profile is recommended for use within the framework of projects such as: hotels, offices, schools, community buildings, care homes.



Fitting information

- Recommended fixing points:



The dimensions shown are for information only. The distances between the brackets are variable and depend on the weight and the fullness of the curtain to be hung.

- Mounting options



- Ceiling mount with the following bracket: 2084



Additional accessories

- Slide (ref. 6031, 9020, 6021, 6033)



- Rollers (ref. 6044, 6048)



- End stops (ref. 6036, 6025, 4131)



- Dress-hanger slide (ref. 6037)





Roy Products

s.a. Ateliers G. VANROY Werkhuizen n.v.

Av. de la Verrerie 17-23 Glasblazerijlaan • Bruxelles 1190 Brussel - Belgium

Tel: +32 2 370 59 59 - Fax: +32 2 332 27 73

info @royproducts.be • www.royproducts.be

Roy
PRODUCTS